TYPE Correction
PUBLISHED 10 May 2023
DOI 10.3389/fnins.2023.1209830



OPEN ACCESS

EDITED AND REVIEWED BY Liangjie Lin, Philips Healthcare, China

*CORRESPONDENCE
Jie Lu

☑ imaginglu@hotmail.com

RECEIVED 21 April 2023 ACCEPTED 25 April 2023 PUBLISHED 10 May 2023

CITATION

Zhang Y, Cui B, Yang H, Ma J, Yang Y, Yang B, Ma Y, Jiao L, Li X and Lu J (2023) Corrigendum: Morphological feature and mapping inflammation in classified carotid plaques in symptomatic and asymptomatic patients: a hybrid ¹⁸F-FDG PET/MR study. *Front. Neurosci.* 17:1209830. doi: 10.3389/fnins.2023.1209830

COPYRIGHT

© 2023 Zhang, Cui, Yang, Ma, Yang, Yang, Ma, Jiao, Li and Lu. This is an open-access article distributed under the terms of the Creative Commons Attribution License (CC BY). The use, distribution or reproduction in other forums is permitted, provided the original author(s) and the copyright owner(s) are credited and that the original publication in this journal is cited, in accordance with accepted academic practice. No use, distribution or reproduction is permitted which does not comply with these terms.

Corrigendum: Morphological feature and mapping inflammation in classified carotid plaques in symptomatic and asymptomatic patients: a hybrid ¹⁸F-FDG PET/MR study

Yue Zhang^{1,2}, Bixiao Cui^{1,2}, Hongwei Yang^{1,2}, Jie Ma^{1,2}, Yu Yang^{1,2}, Bin Yang³, Yan Ma³, Liqun Jiao³, Xiang Li⁴ and Jie Lu^{1,2}*

¹Department of Radiology and Nuclear Medicine, Xuanwu Hospital, Capital Medical University, Beijing, China, ²Beijing Key Laboratory of Magnetic Resonance Imaging and Brain Informatics, Beijing, China, ³Department of Neurosurgery, Xuanwu Hospital, Capital Medical University, Beijing, China, ⁴Division of Nuclear Medicine, Department of Biomedical Imaging and Image-Guided Therapy, Medical University of Vienna, Vienna, Austria

KEYWORDS

hybrid $^{18}\text{F-FDG}$ PET/MR, atherosclerosis, vulnerable plaque, carotid arteries, symptomatic, asymptomatic

A corrigendum on

Morphological feature and mapping inflammation in classified carotid plaques in symptomatic and asymptomatic patients: a hybrid $^{18}\mathrm{F-FDG}$ PET/MR study

by Zhang, Y., Cui, B., Yang, H., Ma, J., Yang, Y., Yang, B., Ma, Y., Jiao, L., Li, X., and Lu, J. (2023). Front. Neurosci. 17:1144248. doi: 10.3389/fnins.2023.1144248

In the published article, there was an error in Patients population of Table 2 as published. There was some missing information in Table 2 during the process of uploading the Table 2. The corrected Patients population of Table 2 and its caption * [Note: Compared with the asymptomatic and symptomatic group, P < 0.05.] appear below.

In the published article, there was an error in Morphology of carotid atherosclerotic plaques on high resolution MRI of Table 4 as published. The positions of the symptomatic and asymptomatic groups in Table 4 were reversed. The corrected Morphology of carotid atherosclerotic plaques on high resolution MRI of Table 4 and its caption * [Note: Compared with the asymptomatic and symptomatic group, P < 0.05.] appear below.

The authors apologize for this error and state that this does not change the scientific conclusions of the article in any way. The original article has been updated.

Publisher's note

All claims expressed in this article are solely those of the authors and do not necessarily represent those of their affiliated organizations, or those of the publisher, the editors and the reviewers. Any product that may be evaluated in this article, or claim that may be made by its manufacturer, is not guaranteed or endorsed by the publisher.

Zhang et al. 10.3389/fnins.2023.1209830

TABLE 2 Patients population.

	Asymptomatic	Symptomatic	<i>P</i> value
Male (%)	12 (60.0)	16 (80.0)	0.243
Age	63.1 ± 4.4	66.1 ± 4.8	0.342
BMI(kg/m ²)	24.5 ± 4.3	24.5 ± 3.8	0.573
Hypertension (%)	12 (60.0)	16 (80.0)	0.412
Coronary heart disease (%)	4 (20.0)	6 (30.0)	0.134
Diabetes (%)	8 (40.0)	13 (65.0)	0.168
Smoking (%)	15 (75.0)	18 (90.0)	0.172
Low density lipoprotein (mmol/L)	2.73 ± 0.47	2.84 ± 0.69	0.735
High density lipoprotein (mmol/L)	1.17 ± 0.31	1.32 ± 0.41	0.658
Total cholesterol (mmol/L)	3.82 ± 0.83	4.37 ± 0.85	0.547
Triglyceride (mmol/L)	1.12 ± 0.34	1.63 ± 0.42	0.672
Fasting blood glucose (mmol/L)	5.14 ± 1.02	5.92 ± 1.16	0.036*
Homocysteine (mmol/L)	12.73 ± 2.82	15.82 ± 3.01	0.123
High sensitivity C-reactive protein (mg/L)	1.32 ± 0.21	3.21 ± 0.42	0.015*
Glycosylated hemoglobin (%)	5.73 ± 0.48	6.46 ± 0.54	0.032*

^{*}Compared with the asymptomatic and symptomatic group, P < 0.05.

TABLE 4 Morphology of carotid atherosclerotic plaques on high resolution MRI.

	Symptomatic	Asymptomatic	<i>P</i> -value	
Plaque load				
Mean wall area (mm²)	46.65 ± 21.31	42.85 ± 20.34	0.038*	
Mean lumen area (mm²)	21.43 ± 15.42	28.76 ± 15.20	0.317	
Maximum wall area (mm²)	75.35 ± 26.82	66.79 ± 25.43	0.023*	
Maximum wall thickness (mm)	5.53 ± 2.15	3.32 ± 1.13	0.021*	
Normalized wall index (%)	70.38 ± 11.32	61.52 ± 10.21	<0.001*	
Lumen stenosis (%)	58.3 ± 18.36	42.93 ± 15.12	0.037*	
Plaque composition				
Maximum necrotic core area (mm²)	10.82 ± 2.32	1.24 ± 0.21	0.000*	
Maximum bleeding area (mm²)	1.51 ± 0.22	0.0	0.023*	
Maximum calcification area (mm²)	0.43 ± 0.11	0.7 ± 0.12	0.374	

 $^{^{\}ast}$ Compared with the asymptomatic and symptomatic group, P < 0.05.