



OPEN ACCESS

APPROVED BY
Frontiers Editorial Office,
Frontiers Media SA, Switzerland

*CORRESPONDENCE

E. James Jebaseelan Samuel
✉ ejames@vit.ac.in

RECEIVED 01 April 2024

ACCEPTED 02 April 2024

PUBLISHED 12 April 2024

CITATION

George SC, Tolakanahalli R, Aguirre S, Kim TP,
Samuel EJJ and Mishra V (2024)

Corrigendum: A single-institution experience
with ^{177}Lu RPT workflow improvements
and qualifying the SPECT/CT imaging
for dosimetry.

Front. Oncol. 14:1410818.

doi: 10.3389/fonc.2024.1410818

COPYRIGHT

© 2024 George, Tolakanahalli, Aguirre, Kim,
Samuel and Mishra. This is an open-access
article distributed under the terms of the
[Creative Commons Attribution License \(CC BY\)](#).
The use, distribution or reproduction in other
forums is permitted, provided the original
author(s) and the copyright owner(s) are
credited and that the original publication in
this journal is cited, in accordance with
accepted academic practice. No use,
distribution or reproduction is permitted
which does not comply with these terms.

Corrigendum: A single-institution experience with ^{177}Lu RPT workflow improvements and qualifying the SPECT/CT imaging for dosimetry

Siju C. George^{1,2}, Ranjini Tolakanahalli¹, Santiago Aguirre¹,
Taehyung Peter Kim¹, E. James Jebaseelan Samuel^{2*}
and Vivek Mishra¹

¹Department of Radiation Oncology, Miami Cancer Institute, Baptist Health, Miami, FL, United States,

²Department of Physics, School of Advanced Sciences, Vellore Institute of Technology, Vellore, India

KEYWORDS

^{177}Lu treatments, patient-specific dosimetry, clinical implementation, dose calibration, registration error, treatment day checklist, clinical workflow, hybrid imaging system QA

A Corrigendum on:

[A single-institution experience with \$^{177}\text{Lu}\$ RPT workflow improvements and qualifying the SPECT/CT imaging for dosimetry](#)

By George SC, Tolakanahalli R, Aguirre S, Kim TP, Samuel EJJ and Mishra V (2024). *Front. Oncol.* 14:1331266. doi: 10.3389/fonc.2024.1331266

In the published article, there was a mistake in the corresponding author. The corresponding author has been updated to E. James Jebaseelan Samuel, with the email ID `ejames@vit.ac.in`.

The authors apologize for this error and state that this does not change the scientific conclusions of the article in any way. The original article has been updated.

Publisher's note

All claims expressed in this article are solely those of the authors and do not necessarily represent those of their affiliated organizations, or those of the publisher, the editors and the reviewers. Any product that may be evaluated in this article, or claim that may be made by its manufacturer, is not guaranteed or endorsed by the publisher.