



OPEN ACCESS

APPROVED BY
Frontiers Editorial Office,
Frontiers Media SA, Switzerland

*CORRESPONDENCE

Zeyu Wu

✉ wu.zeyu@hotmail.com

Yongchen Liu

✉ avatarlara@163.com

†These authors have contributed
equally to this work and share
first authorship

RECEIVED 26 October 2024

ACCEPTED 30 October 2024

PUBLISHED 18 November 2024

CITATION

Huang J, Song M, Shi H, Huang Z, Wang S,
Yin Y, Huang Y, Du J, Wang S, Liu Y and Wu Z
(2024) Corrigendum: Predictive factor of
large-volume central lymph node metastasis
in clinical N0 papillary thyroid carcinoma
patients underwent total thyroidectomy.
Front. Oncol. 14:1517682.
doi: 10.3389/fonc.2024.1517682

COPYRIGHT

© 2024 Huang, Song, Shi, Huang, Wang, Yin,
Huang, Du, Wang, Liu and Wu. This is an open-
access article distributed under the terms of
the [Creative Commons Attribution License
\(CC BY\)](https://creativecommons.org/licenses/by/4.0/). The use, distribution or reproduction
in other forums is permitted, provided the
original author(s) and the copyright owner(s)
are credited and that the original publication
in this journal is cited, in accordance with
accepted academic practice. No use,
distribution or reproduction is permitted
which does not comply with these terms.

Corrigendum: Predictive factor of large-volume central lymph node metastasis in clinical N0 papillary thyroid carcinoma patients underwent total thyroidectomy

Jianhao Huang^{1,2†}, Muye Song^{1,3†}, Hongyan Shi^{1,4†},
Ziyang Huang^{1,2}, Shujie Wang^{1,4}, Ying Yin¹, Yijie Huang¹,
Jialin Du¹, Sanming Wang¹, Yongchen Liu^{1*} and Zeyu Wu^{1*}

¹Department of General Surgery, Guangdong Provincial People's Hospital, Guangdong Academy of Medical Sciences, Guangzhou, China, ²Shantou University Medical College, Shantou University, Shantou, China, ³School of Medicine, South China University of Technology, Guangzhou, China, ⁴The Second School of Clinical Medicine, Southern Medical University, Guangzhou, China

KEYWORDS

central lymph node metastasis, total thyroidectomy, tumor diameter, conventional papillary thyroid cancer, capsule invasion

A Corrigendum on

Predictive factor of large-volume central lymph node metastasis in clinical N0 papillary thyroid carcinoma patients underwent total thyroidectomy

By Huang J, Song M, Shi H, Huang Z, Wang S, Yin Y, Huang Y, Du J, Wang S, Liu Y and Wu Z (2021). *Front. Oncol.* 11:574774. doi: 10.3389/fonc.2021.574774

In the published article, there was an error in the **Funding** statement. The **Funding** statement for the Guangdong Basic and Applied Basic Research Foundation was displayed as “Natural Science Foundation of Guangdong Province (No. 2020A1515010127)”. The correct statement is “Guangdong Basic and Applied Basic Research Foundation (No. 2020A1515010126)”. The correct **Funding** statement appears below.

“This work was supported by Guangdong Basic and Applied Basic Research Foundation (No. 2020A1515010126), Scientific Research Staring Foundation for the Returned Overseas from Guangdong Provincial People's Hospital (No. 2017x02) and Guangdong Provincial People's Hospital Scientific Foundation for Distinguished Young Scholars of Guangdong Province (No. KJ012019441).”

The authors apologize for this error and state that this does not change the scientific conclusions of the article in any way. The original article has been updated.

Publisher's note

All claims expressed in this article are solely those of the authors and do not necessarily represent those of their affiliated

organizations, or those of the publisher, the editors and the reviewers. Any product that may be evaluated in this article, or claim that may be made by its manufacturer, is not guaranteed or endorsed by the publisher.