Correction: Personalized diagnosis of radiation pneumonitis in breast cancer patients based on radiomics

Xiaobo Wen[1,2,3†], Yutao Zhao[2†], Wen Dong[2†], Congbo Yang[2], Jinzhi Li[2], Li Sun[3], Yutao Xiu[3], Chang'e Gao[4*] and Ming Zhang[2*]

[1]School of Pharmacy, Qingdao University, Qingdao, China, [2]Department of Radiotherapy, Yunnan Cancer Hospital, the Third Affiliated Hospital of Kunming Medical University, Kunming, Yunnan, China, [3]Cancer Institute of The Affiliated Hospital of Qingdao University and Qingdao Cancer Institute, Qingdao, China, [4]Department of Medical Oncology, The First Affiliated Hospital of Kunming Medical University, Kunming, China

KEYWORDS

breast cancer, radiomics, radiation pneumonitis, machine learning, artificial intelligence

A Correction on

Personalized diagnosis of radiation pneumonitis in breast cancer patients based on radiomics

By Wen X, Zhao Y, Dong W, Yang C, Li J, Sun L, Xiu Y, Gao C and Zhang M (2025). *Front. Oncol.* 15:1609421. doi: 10.3389/fonc.2025.1609421

In the published article, there was an error in the legend for **Figure 4** as published. The original legend did not match the actual content of the figure. The corrected legend appears below.

"The MSE of LASSO regression."

The original version of this article has been updated.

Publisher's note

All claims expressed in this article are solely those of the authors and do not necessarily represent those of their affiliated organizations, or those of the publisher, the editors and the reviewers. Any product that may be evaluated in this article, or claim that may be made by its manufacturer, is not guaranteed or endorsed by the publisher.

FIGURE 4
The MSE of LASSO regression.