frontiers in Pediatrics

CORRECTION
published: 17 November 2020
doi: 10.3389/fped.2020.600496

Corrigendum: Echocardiographic Evaluation of Transitional Circulation for the Neonatologists

Yogen Singh[1,2]* *and Cécile Tissot*[3]

[1] Consultant in Neonatology and Pediatric Cardiology, Cambridge University Hospitals NHS Foundation Trust, Cambridge, United Kingdom, [2] School of Clinical Medicine, University of Cambridge, Cambridge, United Kingdom, [3] Pediatric Cardiologist, Centre de Pediatrie, Clinique des Grangettes, Chêne-Bougeries, Geneva, Switzerland

Keywords: transitional circulation, adverse adaptation of transitional circulation, persistent pulmonary hypertension, hemodynamic assessment, fetal to neonatal transition, patent ductus arteriosus, PDA, PPHN

OPEN ACCESS

Edited and reviewed by:
Ruth Heying,
University Hospital Leuven, Belgium

***Correspondence:**
Yogen Singh
yogen.singh@nhs.net

Specialty section:
This article was submitted to Pediatric Cardiology, a section of the journal Frontiers in Pediatrics

Received: *30 August 2020*
Accepted: *14 October 2020*
Published: *17 November 2020*

Citation:
Singh Y and Tissot C (2020) Corrigendum: Echocardiographic Evaluation of Transitional Circulation for the Neonatologists. Front. Pediatr. 8:600496. doi: 10.3389/fped.2020.600496

A Corrigendum on

Echocardiographic Evaluation of Transitional Circulation for the Neonatologists
by Singh, Y., and Tissot, C. (2018) Front. Pediatr. 6:140. doi: 10.3389/fped.2018.00140

In the original article, there was a mistake in **Table 1** as published. **Duct-dependent systemic circulation and Duct-dependent pulmonary circulation terms were interchanged**. The corrected **Table 1** appears below.

The authors apologize for this error and state that this does not change the scientific conclusions of the article in any way. The original article has been updated.

TABLE 1 | Classification of the congenital heart defects according to the post-natal adaptation.

Types of CHD		Examples of CHD
Duct-dependent CHD	Duct-dependent pulmonary circulation	Critical TOF
		PA/VSD
		PA/IVS
		Critical PS
		TA with PS/PA
		SV with PS/PA
		Severe Ebstein anomaly
	Duct-dependent systemic circulation	HLHS
		Critical AS
		Severe COA
		IAA
		Shone complex
		SV with AS/COA
	Poor mixing	TGA with IVS
Non duct-dependent CHD	Mild cyanotic CHD	TAPVR
		TOF
		TAC with mild PS
		TGA with VSD
		SV
	L-to-R shunt CHD	VSD
		PDA
		AVSD
		APW
		DORV
		TAC with no PS
		SV

AS, aortic stenosis; ASD, atrial septal defect; APW, aorto-pulmonary window; AVSD, atrio-ventricular septal defect; CHD, congenital heart disease; COA, coarctation of aorta; DORV, double outlet right ventricle; HLHS, hypoplastic left heart disease; IAA, interrupted aortic arch; IVS, intact ventricular septum; PA, pulmonary atresia; PDA, patent ductus arteriosus; PS, pulmonary stenosis; SV, single ventricle; TA, tricuspid atresia; TAC, truncus arteriosus communis; TAPVR, total anomalous pulmonary venous return; TGA, transposition of the great arteries; TOF, Tetralogy of Fallot; VSD, ventricular septal defect.