



Corrigendum: Scorpion Venom Heat-Resistant Peptide Attenuates Microglia Activation and Neuroinflammation

Xue-Fei Wu^{1,2†}, Chun Li^{3†}, Guang Yang^{4†}, Ying-Zi Wang^{2†}, Yan Peng¹, Dan-Dan Zhu¹, Ao-Ran Sui¹, Qiong Wu¹, Qi-Fa Li¹, Bin Wang¹, Na Li², Yue Zhang¹, Bi-Ying Ge², Jie Zhao^{2*} and Shao Li^{1,2*}

¹Liaoning Provincial Key Laboratory of Cerebral Diseases, Department of Physiology, College of Basic Medical Sciences, Dalian Medical University, Dalian, China, ²National-Local Joint Engineering Research Center for Drug-Research and Development (R&D) of Neurodegenerative Diseases, Dalian Medical University, Dalian, China, ³Reproductive Medicine Centre, Affiliated Zhongshan Hospital of Dalian University, Dalian, China, ⁴Department of Thoracic Surgery, Tongji Hospital, Tongji Medical College, Huazhong University of Science and Technology, Wuhan, China

OPEN ACCESS

Edited and reviewed by:
Massimo Grilli,
University of Genoa, Italy

***Correspondence:**
Shao Li
lishao89@dmu.edu.cn
Jie Zhao
dlzhaoj@163.com

[†]These authors have contributed
equally to this work

Specialty section:
This article was submitted to
Neuropharmacology,
a section of the journal
Frontiers in Pharmacology

Received: 09 October 2021
Accepted: 05 November 2021
Published: 26 November 2021

Citation:
Wu X-F, Li C, Yang G, Wang Y-Z,
Peng Y, Zhu D-D, Sui A-R, Wu Q,
Li Q-F, Wang B, Li N, Zhang Y, Ge B-Y,
Zhao J and Li S (2021) Corrigendum:
Scorpion Venom Heat-Resistant
Peptide Attenuates Microglia
Activation and Neuroinflammation.
Front. Pharmacol. 12:791953.
doi: 10.3389/fphar.2021.791953

Keywords: SVHRP, anti-inflammation, microglia, NF-κB, MAPKs

A Corrigendum on

Scorpion Venom Heat-Resistant Peptide Attenuates Microglia Activation and Neuroinflammation

by Wu, X.-F., Li, C., Yang, G., Wang, Y.-Z., Peng, Y., Zhu, D.-D., Sui, A.-R., Wu, Q., Li, Q.-F., Wang, B., Li, N., Zhang, Y., Ge, B.-Y., Zhao, J., and Li, S. (2021). *Front. Pharmacol.* 12:704715. doi: 10.3389/fphar.2021.704715


In the original article, there was a mistake in **Figure 1** and its caption as published. The label for group 4 in **Figure 1A** is misspelled, it is supposed to be “LPS+SVHRP” instead of “LPS+SVHRSP”. Furthermore, in the caption for **Figure 1**, the description for **Figure 1E** was missing, which is the quantification result for the immunoblotting shown in **(D)**. The correct **Figure 1** and caption appear below.

Additionally, there was a mistake in the caption for **Figure 2** as published. In **Figure 2**, the value of the Bar in **Figures 2A–C**, a is supposed to be 50 instead of 20 μm. The correct **Figure 2** appears below.

The authors apologize for this error and state that this does not change the scientific conclusions of the article in any way. The original article has been updated.

Publisher’s Note: All claims expressed in this article are solely those of the authors and do not necessarily represent those of their affiliated organizations, or those of the publisher, the editors and the reviewers. Any product that may be evaluated in this article, or claim that may be made by its manufacturer, is not guaranteed or endorsed by the publisher.

Copyright © 2021 Wu, Li, Yang, Wang, Peng, Zhu, Sui, Wu, Li, Wang, Li, Zhang, Ge, Zhao and Li. This is an open-access article distributed under the terms of the Creative Commons Attribution License (CC BY). The use, distribution or reproduction in other forums is permitted, provided the original author(s) and the copyright owner(s) are credited and that the original publication in this journal is cited, in accordance with accepted academic practice. No use, distribution or reproduction is permitted which does not comply with these terms.






FIGURE 2 | SVHRP attenuates LPS-induced upregulation of Iba-1 in microglia. IF staining for Iba-1 in primary neuron-glia **(A)**, mixed glia **(B)**, and enriched microglia **(C)** cultures were performed 24 h after LPS treatment. Cells were pretreated with vehicle or SVHRP (20 $\mu\text{g}/\text{ml}$) for 1 h before LPS challenge. **(a)** Representative images of Iba-1 positive cells (400 \times , Bar = 50 μm). **(b)** Cell number and average grey scale for Iba-1 staining were shown. The data were the means \pm SEM ($n \geq 3$ for each cell preparation). [#] $p < 0.05$ compared with CTRL group, ^{*} $p < 0.05$ compared with LPS group.