frontiers | Frontiers in Pharmacology

TYPE Correction
PUBLISHED 09 May 2023
DOI 10.3389/fphar.2023.1210999

OPEN ACCESS

APPROVED BY
Frontiers Editorial Office,
Frontiers Media SA, Switzerland

*CORRESPONDENCE
Kun-Lun Huang,
kun@mail.ndmctsgh.edu.tw

RECEIVED 24 April 2023
ACCEPTED 25 April 2023
PUBLISHED 09 May 2023

CITATION
Chuang Y-C, Wu S-Y, Huang Y-C, Peng C-K, Tang S-E and Huang K-L (2023), Corrigendum: Cell volume restriction by mercury chloride reduces M1-like inflammatory response of bone marrow-derived macrophages. *Front. Pharmacol.* 14:1210999. doi: 10.3389/fphar.2023.1210999

Corrigendum: Cell volume restriction by mercury chloride reduces M1-like inflammatory response of bone marrow-derived macrophages

Yen-Chieh Chuang[1], Shu-Yu Wu[2], Yu-Chuan Huang[3,4], Chung-Kan Peng[2,5], Shih-En Tang[2,5] and Kun-Lun Huang[1,5,6]*

[1]Graduate Institute of Life Sciences, National Defense Medical Center, Taipei, Taiwan, [2]Institute of Aerospace and Undersea Medicine, National Defense Medical Center, Taipei, Taiwan, [3]School of Pharmacy, National Defense Medical Center, Taipei, Taiwan, [4]Department of Research and Development, National Defense Medical Center, Taipei, Taiwan, [5]Division of Pulmonary and Critical Care Medicine, Department of Internal Medicine, Tri-Service General Hospital, National Defense Medical Center, Taipei, Taiwan, [6]Graduate Institute of Medical Sciences, National Defense Medical Center, Taipei, Taiwan

KEYWORDS

aquaporin, bone marrow-derived macrophages, mercury chloride, macrophage polarization, autophagy

A Corrigendum on
Cell volume restriction by mercury chloride reduces M1-like inflammatory response of bone marrow-derived macrophages

by Chuang Y-C, Wu S-Y, Huang Y-C, Peng C-K, Tang S-E and Huang K-L (2022). Front. Pharmacol. 13:1074986. doi: 10.3389/fphar.2022.1074986

In the published article, there was an error regarding the **Affiliations** for Kun-Lun Huang. As well as having affiliations 5 and 6, they should also have "1Graduate Institute of Life Sciences, National Defense Medical Center, Taipei, Taiwan."

The authors apologize for this error and state that this does not change the scientific conclusions of the article in any way. The original article has been updated.

Publisher's note