



Corrigendum: Blockade of Acid-Sensing Ion Channels Increases Urinary Bladder Capacity With or Without Intravesical Irritation in Mice

Mitsuharu Yoshiyama^{1,2*}, Hideki Kobayashi^{1,3}, Masayuki Takeda¹ and Isao Araki^{1,4}

¹ Department of Urology, Graduate School of Medicine, University of Yamanashi, Chuo, Japan, ² Shintotsuka Hospital, Yokohama, Japan, ³ Kobayashi Urology Clinic, Kai, Japan, ⁴ Kusatsu Public Health Center, Kusatsu, Japan

Keywords: A-317567, acetic acid, bladder pain syndrome, dorsal root ganglion, intravesical irritation, mechanosensation, nociception

OPEN ACCESS

Edited and reviewed by:

Simon J. H. Brookes,
Flinders University, Australia

*Correspondence:

Mitsuharu Yoshiyama
PXN15164@nifty.ne.jp

Specialty section:

This article was submitted to
Autonomic Neuroscience,
a section of the journal
Frontiers in Physiology

Received: 31 October 2020

Accepted: 26 November 2020

Published: 15 December 2020

Citation:

Yoshiyama M, Kobayashi H, Takeda M
and Araki I (2020) Corrigendum:
Blockade of Acid-Sensing Ion
Channels Increases Urinary Bladder
Capacity With or Without Intravesical
Irritation in Mice.
Front. Physiol. 11:624382.
doi: 10.3389/fphys.2020.624382

A Corrigendum on

Blockade of Acid-Sensing Ion Channels Increases Urinary Bladder Capacity With or Without Intravesical Irritation in Mice

by Yoshiyama, M., Kobayashi, H., Takeda, M., and Araki, I. (2020). *Front. Physiol.* 11:592867. doi: 10.3389/fphys.2020.592867

In the original article, there was a mistake in the legend for **Figure 9** as published. The symbol for 1 mM A-317567 is incorrect. The correct legend appears below.

FIGURE 9 | “The effects of intravesical infusion of A-317567 (100 μ M, ●, $n = 6$; 1 mM, ▲, $n = 5$) or vehicle (○, $n = 6$) on bladder activity during pH 3.0 acetic acid infusion cystometry were evaluated according to the presented cystometry parameters. Statistical analysis by two-way repeated measures ANOVA revealed that, in comparison with vehicle, A-317567 had no effect on these cystometry variables. The differences from BL (pH 6.3) to pH 3.0 in each treatment group are indicated as * $P < 0.05$; ** $P < 0.01$; *** $P < 0.001$; and **** $P < 0.0001$ by *post hoc* Sidak’s multiple comparisons test. BL, baseline.”

The authors apologize for this error and state that this does not change the scientific conclusions of the article in any way. The original article has been updated.

Copyright © 2020 Yoshiyama, Kobayashi, Takeda and Araki. This is an open-access article distributed under the terms of the Creative Commons Attribution License (CC BY). The use, distribution or reproduction in other forums is permitted, provided the original author(s) and the copyright owner(s) are credited and that the original publication in this journal is cited, in accordance with accepted academic practice. No use, distribution or reproduction is permitted which does not comply with these terms.