



Corrigendum: Efficacy of Intrauterine Perfusion of Cyclosporin A for Intractable Recurrent Spontaneous Abortion Patients With Endometrial Alloimmune Disorders: A Randomized Controlled Trial

Long Zhao^{1*}, Lijuan Qi^{2†}, Jinhua Fu², Shuqin Bi², Lin Li¹ and Yinghui Fu²

¹ Department of Nephrology, The Affiliated Hospital of Qingdao University, Qingdao, China, ² Department of Obstetrics, Qingdao Jinhua Gynecology Hospital, Qingdao, China

Keywords: intrauterine perfusion of CsA, recurrent spontaneous abortion, uterine natural killer cells, CD56, CD57

A Corrigendum on

Efficacy of Intrauterine Perfusion of Cyclosporin A for Intractable Recurrent Spontaneous Abortion Patients With Endometrial Alloimmune Disorders: A Randomized Controlled Trial by Zhao, L., Qi, L., Fu, J., Bi, S., Li, L., and Fu, Y. (2021). *Front. Physiol.* 12:737878. doi: 10.3389/fphys.2021.737878

OPEN ACCESS

Edited and reviewed by:

Frontiers in Physiology,
Frontiers Media SA, Switzerland

*Correspondence:

Long Zhao
zhaolong0536@126.com

†These authors have contributed
equally to this work

Specialty section:

This article was submitted to
Reproduction,
a section of the journal
Frontiers in Physiology

Received: 11 September 2021

Accepted: 22 September 2021

Published: 12 October 2021

Citation:

Zhao L, Qi L, Fu J, Bi S, Li L and Fu Y
(2021) Corrigendum: Efficacy of
Intrauterine Perfusion of Cyclosporin A
for Intractable Recurrent Spontaneous
Abortion Patients With Endometrial
Alloimmune Disorders: A Randomized
Controlled Trial.
Front. Physiol. 12:774213.
doi: 10.3389/fphys.2021.774213

In the published article, there was an error in affiliation 1, instead of “Department of Obstetrics, Qingdao Jinhua Hospital, Qingdao, China”, it should be “Department of Obstetrics, Qingdao Jinhua Gynecology Hospital, Qingdao, China”.

In the published article, there was an error in the affiliation order. The affiliation order should be 1 Department of Nephrology, The Affiliated Hospital of Qingdao University, Qingdao, China, 2 Department of Obstetrics, Qingdao Jinhua Gynecology Hospital, Qingdao, China

Incorrect Author Order

In the published article, there was an error in the order of authors. The author order should be Long Zhao^{1*}, Lijuan Qi^{2#}, Jinhua Fu², Shuqin Bi², Lin Li¹ and Yinghui Fu²

#Long Zhao and Lijuan Qi contributed equally to this work.

The corrected Author Contributions Statement appears below.

LZ, LQ, and JF: conception and design, data analysis, and interpretation. LZ: administrative support. LQ, SB, YF, and LL: provision of study materials or patients, collection and assembly of data. All authors: manuscript writing and final approval of the manuscript.

The authors apologize for this error and state that this does not change the scientific conclusions of the article in any way. The original article has been updated.

Publisher’s Note: All claims expressed in this article are solely those of the authors and do not necessarily represent those of their affiliated organizations, or those of the publisher, the editors and the reviewers. Any product that may be evaluated in this article, or claim that may be made by its manufacturer, is not guaranteed or endorsed by the publisher.

Copyright © 2021 Zhao, Qi, Fu, Bi, Li and Fu. This is an open-access article distributed under the terms of the Creative Commons Attribution License (CC BY). The use, distribution or reproduction in other forums is permitted, provided the original author(s) and the copyright owner(s) are credited and that the original publication in this journal is cited, in accordance with accepted academic practice. No use, distribution or reproduction is permitted which does not comply with these terms.