Check for updates

Correction: Optimizing Mask R-CNN for enhanced quinoa panicle detection and segmentation in precision agriculture

Manal El Akrouchi[1,2*†], Manal Mhada[1†], Dachena Romain Gracia[1], Malcolm J. Hawkesford[3] and Bruno Gérard[1]

[1]College of Agriculture and Environmental Sciences, University Mohammed VI Polytechnic (UM6P), Ben Guerir, Morocco, [2]School of Collective Intelligence, University Mohammed VI Polytechnic (UM6P), Rabat, Morocco, [3]Sustainable Soils and Crops Department, Rothamsted Research, Harpenden, Hertfordshire, United Kingdom

KEYWORDS

Mask R-CNN, instance segmentation, quinoa, precision agriculture, deep learning

---

A Correction on

Optimizing Mask R-CNN for enhanced quinoa panicle detection and segmentation in precision agriculture

By El Akrouchi M, Mhada M, Gracia DR, Hawkesford MJ and Gérard B (2025). *Front. Plant Sci.* 16:1472688. doi: 10.3389/fpls.2025.1472688

There was a mistake in **Figure 3** as published. I was working on two papers simultaneously, this one and another related to citrus (see this link). While preparing the flowcharts for both projects, I inadvertently used the same name for both files, which led to this confusion. The corrected **Figure 3** appears below.

The original version of this article has been updated.

Publisher's note

All claims expressed in this article are solely those of the authors and do not necessarily represent those of their affiliated organizations, or those of the publisher, the editors and the reviewers. Any product that may be evaluated in this article, or claim that may be made by its manufacturer, is not guaranteed or endorsed by the publisher.

FIGURE 3
Overall process flowchart of quinoa panicles detection and segmentation.