



OPEN ACCESS

EDITED AND REVIEWED BY
Stefan Borgwardt,
University of Lübeck, Germany

*CORRESPONDENCE
Marcin Sochal
✉ sochalmar@gmail.com

RECEIVED 13 May 2025
ACCEPTED 23 June 2025
PUBLISHED 10 July 2025

CITATION
Sochal M, Ditmer M, Białasiewicz P,
Turkiewicz S, Karuga FF and Gabryelska A
(2025) Correction: Evaluation of cognitive
and psychomotor faculties in relation to
mood-related symptoms under the
conditions of sleep deprivation.
Front. Psychiatry 16:1627775.
doi: 10.3389/fpsy.2025.1627775

COPYRIGHT
© 2025 Sochal, Ditmer, Białasiewicz,
Turkiewicz, Karuga and Gabryelska. This is an
open-access article distributed under the terms
of the [Creative Commons Attribution License](#)
(CC BY). The use, distribution or reproduction
in other forums is permitted, provided the
original author(s) and the copyright owner(s)
are credited and that the original publication
in this journal is cited, in accordance with
accepted academic practice. No use,
distribution or reproduction is permitted
which does not comply with these terms.

Correction: Evaluation of cognitive and psychomotor faculties in relation to mood-related symptoms under the conditions of sleep deprivation

Marcin Sochal*, Marta Ditmer, Piotr Białasiewicz,
Szymon Turkiewicz, Filip Franciszek Karuga
and Agata Gabryelska

Department of Sleep Medicine and Metabolic Disorders, Medical University of Lodz, Lodz, Poland

KEYWORDS

sleep deprivation, PVT, hand-eye coordination, stroop, sleep

A Correction on

[Evaluation of cognitive and psychomotor faculties in relation to mood-related symptoms under the conditions of sleep deprivation](#)

by Sochal M, Ditmer M, Białasiewicz P, Turkiewicz S, Karuga FF and Gabryelska A (2023). *Front. Psychiatry*. 14:1332831. doi: 10.3389/fpsy.2023.1332831

In the published article, there was an error in **Table 1** as published. The values of the variable defining the number of women in the subgroups were presented incorrectly. The corrected **Table 1** appears below.

The original article has been updated.

Publisher's note

All claims expressed in this article are solely those of the authors and do not necessarily represent those of their affiliated organizations, or those of the publisher, the editors and the reviewers. Any product that may be evaluated in this article, or claim that may be made by its manufacturer, is not guaranteed or endorsed by the publisher.

TABLE 1 Baseline characteristics of study participants.

Parameter	Non-respondents	Respondents	<i>P</i>
<i>n</i>	29	48	–
Women, <i>n</i> , %	15, 51.70%	23, 47.90%	0.883
Age, median (IQR)	23 (22–26)	24 (22–26)	0.541
BMI, [kg/m2], median (IQR)	22.05 (19.49–23.78)	22.85 (22.04–24.72)	0.065
Smoking, <i>n</i> , %	3, 10.30%	6, 12.50%	0.775
Higher Education, <i>n</i> , %	14, 48.30%	23, 47.90%	0.735
Total Sleep Time during the PSG night, [min], median (IQR)	400 (360–480.5)	430 (366–468.75)	0.987
Sleep Latency during the PSG night, [min], median (IQR)	33.5 (17.5–51)	34.5 (23.75–57.75)	0.467
Sleep efficiency during the PSG night [%], median (IQR)	78.6 (71.7–89.5)	81 (69.25–85.65)	0.487

BMI, Body Mass Index, PSG, polysomnography.
Results were presented as median (Interquartile range, IQR) or *n*, %.