#### Check for updates

#### **OPEN ACCESS**

EDITED BY Christos Pezirkianidis, Panteion University, Greece

REVIEWED BY Sunawan Sunawan, State University of Semarang, Indonesia Doungmani Chongruksa, Prince of Songkla University, Thailand

\*CORRESPONDENCE Sumei Wu alfiebell30@gmail.com

SPECIALTY SECTION This article was submitted to Positive Psychology, a section of the journal Frontiers in Psychology

RECEIVED 06 June 2022 ACCEPTED 10 August 2022 PUBLISHED 25 August 2022

#### CITATION

Zhang L, Wu S, Roslan S, Zaremohzzabieh Z, Chen Y and Jiang Y (2022) Intervention effect of group counseling on social support and poststress growth of orphans and vulnerable children in China. *Front. Psychol.* 13:962654. doi: 10.3389/fpsyg.2022.962654

#### COPYRIGHT

© 2022 Zhang, Wu, Roslan, Zaremohzzabieh, Chen and Jiang. This is an open-access article distributed under the terms of the Creative Commons Attribution License (CC BY). The use, distribution or reproduction in other forums is permitted, provided the original author(s) and the copyright owner(s) are credited and that the original publication in this journal is cited, in accordance with accepted academic practice. No use, distribution or reproduction is permitted which does not comply with these terms.

# Intervention effect of group counseling on social support and post-stress growth of orphans and vulnerable children in China

Lyuci Zhang<sup>1</sup>, Sumei Wu<sup>2</sup>\*, Samsilah Roslan<sup>3</sup>, Zeinab Zaremohzzabieh<sup>3</sup>, Ye Chen<sup>4</sup> and Yuqin Jiang<sup>1,5</sup>

<sup>1</sup>Department of Education and Music, Hezhou University, Hezhou, China, <sup>2</sup>Department of Education, Guangxi Normal University, Guilin, China, <sup>3</sup>Department of Foundation Studies, Faculty of Educational Studies, Universiti Putra Malaysia, Serdang, Malaysia, <sup>4</sup>Faculty of Human Ecology, Universiti Putra Malaysia, Serdang, Malaysia, <sup>5</sup>Faculty of Human Development, Universiti Pendidikan Sultan Idris, Tanjung Malim, Malaysia

Orphans and vulnerable children fall under the category of children who are at risk of exposure to more stressful circumstances and receive less social assistance compared to other children. This study aims to investigate the impact of group counseling based on social intervention and psychological therapy (SSGPC) on social support and the perceived stress growth of orphans and vulnerable children. In one special educational needs school in Nanning, China, the SSGPC was developed and implemented. Using the social support and post-stress growth scales, the researchers investigated the effects of SSGPC on orphans and vulnerable children. Twenty-seven orphans and vulnerable children between the ages of nine and 12 were arbitrarily assigned to the experimental and control groups. A pre-test post-test method of quasiexperimental design was applied, with 13 participants in the experimental group and 14 in the control group. The results revealed that the intervention group had significantly higher scores for social support and post-stress growth than the control group. The SSGPC had significantly improved the levels of social support for orphans. The findings indicated that the SSGPC provided an effective way to improve social support and post-stress growth of orphans and vulnerable children.

KEYWORDS

social support group, psychological counseling intervention, post-stress growth, social support, orphans

## Introduction

China is now witnessing fast economic expansion. According to Liu et al. (2020), this expansion aided the Chinese society in improving its living standards in many areas, including a reduction in the number of impoverished people, a lower rate of unemployment, and a reduction in the number of children without a family. According to Shang and Cheng (2006), the total number of orphans in China was 573,000. In 2020, China's orphan

population was expected to be at 193,300, down from over 233,000 the previous year (National Bureau of Statistics of China, 2020). Accordingly, orphans and vulnerable children (OVC) are more likely to suffer from hunger, drop out of school, suffer from low psychological wellbeing, and have an earlier sexual debut (Yendork, 2020). Specifically, among OVC, poor mental health functioning has been extensively proven to be connected with various detrimental health and social repercussions, even into adulthood (Scott et al., 2016). According to Chi et al. (2014), OVC may not communicate their anxieties and worries, resulting in sentiments of wrath, resentment, as well as a sense of estrangement, and despair. Such emotions can result in risk-taking behaviors and withdrawal. Furthermore, severe negative emotions can lead to aggression or various problematic behaviors (Loney et al., 2006).

Scholars have previously demonstrated that OVC are vulnerable to deprivation as a result of mistreatment and isolation from siblings, putting them at risk for mental health issues (e.g., Morantz et al., 2013). It is concerning that OVC's psychological wellbeing receives little attention, since previous academics have recognized that few evidence-based initiatives have addressed these children's mental health and behavioral health preventative requirements (Mellins and Malee, 2013; Skeen et al., 2017). Caspe and Lopez (2006) showed that interventions that promote family involvement in children's development build parental knowledge and skills, and improve family stability through, for example, efforts toward economic security and social inclusion that fall under the rubric of "family strengthening." Nevertheless, it is critical to stress that social support (SSU) should be offered to OVC as early as possible when a lack of parent and family instability begin to have some of the most detrimental consequences on their life (Doku et al., 2019). SSU appears to have acquired some momentum, according to existing studies on the wellbeing of children placed in orphanages (Zhou, 2012).

In addition, post-stress growth (PSG) is an important variable for OVC. After undergoing stressful or traumatic circumstances, PSG is described as recovering psychological equilibrium and further growing psychological maturity (Hu et al., 2021). Losing a parent and being placed in an orphanage can be traumatic because it changes one's status in life (Zhang et al., 2022). There are many ongoing stressful and traumatic life events for OVC such as abuse, neglect, and parental loss among others (Nyathi, 2022). Additionally, vulnerable children and their families commonly live in a state of poverty (Marais et al., 2014). As a result, vulnerable children experience more stressful events than the average children do. However, from the perspective of positive psychology, positive changes within individuals are explored to produce more positive results. Therefore, this study examines the pressure on OVC from a positive perspective. When OVC experiences pressure or negative events, positive changes are explored to achieve growth after pressure.

Fan and He (2016) discovered that group counseling can work as an intervention to prevent the development of severe mental illness. Group counseling has consistently been shown to increase SSU and PSG of OVC (Fawzi et al., 2012; Sitienei and Pillay, 2019; Penner et al., 2020). Group counseling is a tool in which several OVC participate in social intervention and psychological therapy (SSGPC) to help them change or deal with a long-term problem they are experiencing, guided by a therapist or counselor (Gidron, 2020). The SSGPC has many benefits and is thus appropriate for a variety of difficulties, particularly those OVC with interpersonal concerns. Stress management, for example, is one of them. The SSGPC, which is based on Bronfenbrenner's (1979) ecological systems theory (EST), is designed to help OVC in a culturally appropriate and effective manner. According to EST, human development is mostly influenced by how people interact with their environment as it changes (Senefeld and Perrin, 2014). All ecological systems have a significant impact on OVC's growth, favorably either if support systems are present or adversely if they are not. If the microsystem, particularly the family, fails, the OVC may be unable to explore other ecological systems unless they acquire group counseling. The SSGPC may be viewed as an alternative ecological system that can support the OVC in the shortest amount of time. The SSGPC is likely to provide the OVC with psychological and SSU services that their families, schools, or even communities are unable to provide. This indicates that the SSGPC must take into account a comprehensive strategy that can raise OVC's SSU and PSG. By situating the study's proposed work inside the ecological systems theory, the OVC's PSG and SSU may benefit to some extent from the known SSGPC.

Nevertheless, it should be highlighted that many OVC programs prioritize meeting children's basic needs over their non-material needs, such as providing mental support and stress relief (Onuoha and Munakata, 2010). Community development may be used to treat OVCs' mental health, but in many circumstances (Cheney, 2010), OVCs in South Africa may not have enough access to this type of mental health care. (Marais et al., 2014). In light of this, the current study seeks to determine if the SSGPC is effective in improving the SSU and PSG of OVC in the context of China.

## Materials and methods

### Participants and procedure

In this study, participants were recruited by voluntary enrollment in a school for OVC, and selected according to scale tests and interviews. The criteria for selecting the intervention group were individuals who: (1) could attend each group counseling activity on time; (2) were in good health and had no difficulties in language expression and communication; (3) had low scores on the SSU scale; and (4) had the motivation to change and willingness to participate in group counseling. After the interview, 27 eligible subjects were randomly assigned to the intervention group and the rest were set as members of the control group, namely 13 in the intervention group and 14 in the control group. All the children went to boarding school together, and the two groups of subjects possessed the same family situation and study life. The age range was 9–12 years old, and the grades were from Grade 3 to Grade 6. Before beginning the interventions, caregivers and parents provided written consent for their own participants.

The intervention was held from October 12, 2021 to December 28, 2021. A group counseling session was held every Saturday from 3.30 pm to 5.30 pm for a total of six times. The venue was the psychological counseling room of the OVC's school. The participants in the experimental group underwent the SSGPC program, while the participants in the control group engaged in activities, including games, coloring activities, and singing songs. During the intervention period, 13 members of the intervention group participated in six of the SSGPC activities completely and filled in the summary of each intervention activity, experience, and group counseling effect evaluation form. After the group counseling session, each participant completed the SSU and PSG scales for the post-test.

### Instruments

#### Social support scale

The youth SSU scale prepared by Ye and Dai (2006) was adopted. The scale contains 17 items and three dimensions: subjective support, objective support, and support utilization. The five-point Likert scale was used. It has been shown to be reliable (Cronbach's  $\alpha$  = 0.82; Zhang et al., 2022) and valid for measuring the social support of the Chinese population (Liu et al., 2011).

#### Post-stress growth scale

Qin and Wu's (2016) scale was employed to develop the children's PSG scale. The scale is self-rated and measures positive changes in the past year. There are 15 items on the scale, with five items in each dimension, including coping style, interpersonal relationship, and life philosophy. The Likert self-rating scale was scored with 5 points, ranging from 1 for "very inconsistent" to 5 for "very consistent." The item average score was used as an indicator of individual growth level after stress. The higher the score, the higher the individual growth level after stress. The reliability and validity of PSG were 0.737 and 0.727, respectively (Qin and Wu, 2016).

# Social support group psychological counseling intervention program

Based on a questionnaire survey, current situation analysis, and literature search, and following the principle of group dynamics with regard to the formulation of a group counseling program (Fan and He, 2016), six units of group counseling activities were designed in this study as outlined in Table 1. In this study, group dynamics could sometimes interfere with the OVC group's ability or willingness to share their true thoughts, which they did more of in individual therapy. Each child brought to the group a particular personality, life experiences, fears, perceptions, gender influences, ethnicity, prejudices, and cultural individualities. Therefore, standard errors might have been underestimated (Paddock et al., 2011). It would be impossible to discuss all of the differences or influences that defined the children in the group sessions, but there were a few key group differences that seemed to underscore how a person interacted with others in a group (Deci and Ryan, 2000; Luyckx et al., 2009). In this study, strategies to reduce all of the differences included explaining the purpose and role of group therapy to the children before the group session started, adjusting and conducting thorough screening of the OVC group, asking the children to create group rules that would make the group safe and productive for the OVC group, and offering individual therapy in conjunction with the group for those who required it. Clinical services offering group interventions could consider providing training on managing group dynamics to staff facilitating groups in order to manage this important component of group interventions.

## Data analysis

Before the first group counseling, SSU and PSG scales measured all members of the intervention group and control group. All data were analyzed with IBM SPSS Statistics 22. The normal distribution test showed that the data in this study conformed to normal distribution, while the parametric test was applicable. Therefore, independent samples t-test and paired samples t-test were run to assess between-groups differences and within-groups differences in the SSU and PSG scales before and after SSGPC, respectively. Additionally, effect sizes *d* were calculated (small  $\geq$ 0.20, medium  $\geq$ 0.50, and large  $\geq$ 0.80; Cohen, 1988).

## Results

## Between-subjects analyses

The independent samples t-test revealed no differences for SSU before SSGPC (see Figure 1); however, a large effect of between-groups difference in SSU [t = -10.181, p = 0.000, d = 3.98] and PSG scores [t = -2.791, p = 0.000, d = 3.59] was found. Therefore, pre-test and post-test differed in improving SSU and PSG after SSGPC with higher SSU and PSG scores in the experimental group than in the control group (see Table 2).

## Within-subjects-analyses

No differences in SSU and PSG were found. Nevertheless, the paired samples t-test (see Table 2) revealed a large effect increase

### TABLE 1 Intervention activities.

TABLE 1 Intervention activi	ties.		
Goal	Activities	Goal	Activities
		Goal  Unit 2.  1. Promote self-cognition and strengthen self-understanding 2. Increase the understanding of others, better understand promote interpersonal interaction  Unit 4.  1. Learn to understand and respect teachers 2. let members through personal experience to perspective-taking Improve members' understanding and comprehension of teacher support	Activities  1. Take out the mirror and take a closer look at yourself, a students may not have this opportunity to take a closer look at themselves. Then the teacher asked the students to think for a few minutes and say what kind of person. 2. Each person writes 20 sentences "I am a XXXXXX person," Ask to reflect the characteristics of the individual, after writing fixed group communication, everyone holds the mood of understanding others, to get to know each unique person in the group. Finally, the group representative spoke and the group shared their feelings. 3. The teacher first presented the activity's rules: divide the students in the group. Students are not permitted to paper, and have them write down their thoughts on the other students in the group. Students are not permitted to paper what they wish to say to the interviewee. They can share their thoughts and provide ideas. 1. It all the members to hand circle at the beginning, then, leaders said that ", a group of four ", members must, in accordance with the requirements of the gang of four again, to form a new "home," at the moment, please find home to talk to the person who do not have the feeling of the free outside groups, mostly talks to "Ionely, lonely, abandoned, do not rely on, lost, worried about" You can also ask members of the group to share their feelings of being with you. Most of them will say "warm, powerful, safe, dependable" The number of members have the opportunity to change their behavior, actively integrate into the group, so that members can experience the feeling of home, experience the support
	of the school and provide them instructions to		members have the opportunity to change their behavior, actively integrate into the group, so that members can experience the feeling of home, experience the support of the group, so that they are more willing to stay with
	walking. They can also test their listening and communication abilities when they run into obstacles or move too quickly.		the group. 2. Prelude: Play the song "Get You" or "It's Morning" Prepare 3 small scenes, pen and paper and 2–3 students discuss the topic situation, make and act out a corresponding situation, other students think in others' shoes, understand others,
			For example, the situation: always gentle mother came back from work today, sad face, temper is very angry, because of a little thing on xiaoming angry. Xiaoming is very distressed very aggrieved, hence Four steps of perspective-taking: Step 1: If I were him, WHAT I'd need is Step 2: If I were him, I would not want to Step 3: If I were the other person, what I would do is Step 4: Am I treating him the way he expects me to? 3. Sharing

Summarize and fill in the group experience form.

(Continued)

#### TABLE 1 Continued

Goal	Activities	Goal	Activities
Unit 5.	1. Each group circle, invite one member to the	Unit 6.	1. To bring warmth and strength through physical
1. Experience and understand	middle, other members hand in hand circle.	1. Consolidate learning	contact, so that members can confirm the unity of the
their loved ones pay and care	At the beginning of the exercise, the circle	experience	group more realistically before the end, experience the
for themselves	members close their eyes, consciously and	2. End group counseling,	feeling of being together, and gain support and
2. Strengthen the ability of	comfortably lead to any side, other members	return to reality, look into the	confidence.
empathy	must join hands to form a protective circle for	future, and encourage	2. How to do it: at the end of the last group activity, the
3. improve the ability to	protection, cannot let the circle members fall	members to apply what they	instructor asks everyone to stand in a circle, put your
understand teacher support	down. Where he falls, the group goes to catch	have learned to real life.	hands on the shoulders of each group member, and
	him, protect him, and push him to the center.		gather together in silence for 30 s. Then gently hum the
	Therefore, fall, catch, the middle member		familiar song, and sway freely with the melody of the
	from nervous to very relaxed. Can switch to		song. From children's songs to country songs, try to find
	the circle to experience. The activity fully		people who know them, all of them, one after another.
	embodies the cooperation of the group.		Let all members bid farewell to the group in a warm,
	2. Sharing: What went through your mind		sweet and cohesive scene, and walk towards life, leaving
	when you fell down? People outside the circle		a forever, beautiful, very symbolic, unforgettable
	How do you feel when you pick someone up?		memory.
	(Thank you for your trust and help.)		3. Parting
	3. Write the stories of teachers who have		4. Give gifts
	influenced me greatly and share them with		5. Fill in the questionnaire
	each other. Be as specific as possible.		6. Take a group photo
	4. share		
	5. Read the material aloud and let the		
	members close their eyes, hold hands with		
	each other and form a circle. The leader will		
	read the words of gratitude (materials), and let		
	the members engage in meditation and		
	memory as much as possible.		
	6. Express gratitude to a teacher or classmate		

by text message or email, or by phone

of SSU [t = -11.599, p = 0.00, d = 3.221] and PSG [t = -11.921, p = 0.001, d = 3.259] scores in the experimental group but not in the control group. Therefore, the results indicated that the SSGPC should take into account a group counseling program that could increase OVCs' SSU and PSG.

## Evaluation of group intervention effect

The feedback sheet of the group activity effect was used in this study to design five topics. The results indicated that the contents of the items in the table matched the theme and content of group psychological counseling activities. The scoring scale was 0 to 10, with 0 representing extremely dissatisfied, and 10 representing extremely satisfied. The higher the score, the more satisfied. It was employed to examine group members' overall experience and evaluation of counseling activities. The subjective evaluation of intervention group members on group activities is shown in Table 3.

## Discussion

The current study examined the intervention effects of SSGPC on SSU and PSG with a focus on OVC in the context of China. The results of this study provided proof that the SSGPC offered psychoeducational and social interventions to OVC. According to the study, group counseling was used to support the SSU and PSG of OVC to help them cope with the psychological difficulties they were experiencing. One of the key strengths of the SSGPC is that it is based on Bronfenbrenner's (1979) ecological model. Each child is viewed by the SSGPC as a dynamic individual who is both impacted by and able to influence many systems. Masten (2001) argued that one must concentrate on both the child and the system in which the child lives if one wants to minimize stress or increase resilience through intervention. The SSGPC considers these processes and seeks to improve them, intervening in a more comprehensive and efficient manner. To the authors' knowledge, this is the first study to look at SSGPC's efficacy with the OVC population in China.



The first finding of this study showed that there was a significant increase in SSU in the intervention group as compared to the control group. The findings of this study regarding social and peer support concurred largely with those documented by earlier researchers (Kumakech et al., 2009; Hong et al., 2010; Doku et al., 2015; Li et al., 2019). Within the SSGPC, the OVC discovered that they did not live in isolation, but belonged to a social system. These outcomes concurred with those from a study in Rwanda by Lavin et al. (2010), who found that intervention involving group counseling improved children's social support. Based on the ecological systems theory, Mc Guckin and Minton (2014) maintained that the environment in which a child grows up plays a critical role in shaping the relationship between the child and their development. As such, the SSGPC is helpful for OVC in enhancing mental health and social interaction, and establishing new relationships with their community, family, and peers.

Additionally, the results revealed that there were significant differences in the levels of PSG between the pre-test and post-test in the intervention group, indicating that the PSG in the intervention group was significantly higher than those before the intervention. Therefore, the SSGPC is effective in improving the level of PSG of OVC. The results of this study were in line with those of an earlier study, which showed that trauma-focused cognitive behavior therapy and cognitive behavioral interventions for trauma in schools could enhance PSG in children who had experienced trauma (Little et al., 2011). Regarding findings, teachers gave their positive feedback, which illustrated that the SSGPC might be effective in post-traumatic stress disorder (PTSD) symptom reduction. Meanwhile, the SSGPC's supportive mechanisms and effective teamwork were thought to be crucial for raising the level of PSG of OVC. Through the six SSGPC activities, it can be seen that the group psychological counseling to each member of the help was very significant. This study can provide some reference value for OVC's mental health and intervention.

Regardless of the context, the SSGPC reawakens awareness of OVC, highlighting their needs and mobilizing assistance for them. An important factor of the SSGPC is that it was run in a community-based school, thus promoting awareness of OVC to the teachers and principal in the school and offering the staff support and contact with other professionals who are interested in and trained to assist OVC. The findings of this study regarding training of teachers in schools to acquire the basic skills required to support OVC concurred with earlier studies on the same issue (Wood and Goba, 2011). Therefore, training all teachers in terms of SSGPC would enable them to cope with the large numbers of OVC that are found in schools.

# Limitations and future research directions

This study has a few limitations that should be addressed. First, because this was an interventional study, it was unable to draw firm conclusions from the connection between variables. As a result, follow-up and longitudinal studies may be conducted in the future to address this issue. Second, because all of the primary factors were self-reported, self-presentation biases may have altered the connections between the variables. Future research

	Experimental group (N = 13)	Control group $(N = 14)$	Independent samples <i>t</i> -test	Paired samples <i>t</i> -test		Experimental group (N = 13)	Control group $(N = 14)$	Independent samples <i>t</i> -test	Paired samples <i>t</i> -test		Experimental group (N = 13)	Control group $(N = 14)$
	Before intervention	After intervention	Before intervention	After intervention		Before intervention	After intervention i	Before intervention	After intervention		Before intervention	After intervention
	M(SD)	(QS)W	M(SD)	M(SD)		M(SD)	M(SD)	M(SD)	M(SD)		M(SD)	M(SD)
SS	2.99(0.24)	4.05(0.35)	2.95(0.20)	2.89(0.23)	SS	2.99(0.24)	4.05(0.35)	2.95(0.20)	2.89(0.23)	SS	2.99(0.24)	4.05(0.35)
PSG	3.19(0.20)	4.30(0.36)	3.08(0.23)	3.18(0.19)	PSG	3.19(0.20)	4.30(0.36)	3.08(0.23)	3.18(0.19)	PSG	3.19(0.20)	4.30(0.36)
SS, Soci	SS, Social support; PSG, Post-stress growth	ess growth										

Š
te
2.
er
aft
D
an
fore
efo
å
ť
Ň
<u>j</u>
ress
tre
-st
÷
őd
р
a
ŗ
bpo
n
al s
0
Sõ
of
u
÷.
viat
de
õ
daı
tano
sti
nd
ar
ean
Чe
2
щ
8
ΤA

ention.

TABLE 3 Group psychological counseling effect feedback sheet.

		-		-			
No.	Item	1st (M)	2nd (M)	3rd (M)	4th (M)	5th (M)	6th (M)
1	I appreciate	8.92	9	9.25	9.92	9.61	9.53
	the corporate						
	atmosphere						
	of this group						
2	I like the	8.46	8.92	9.61	9.84	8.92	9.84
	content of						
	this group						
	activity						
3	I agree with	8.53	9.84	9.53	9.3	9.23	9.76
	the						
	leadership of						
	this group						
	activity						
4	I agree with	8.92	9.46	8.92	9.53	9.84	9.61
	the						
	leadership of						
	this group						
_	activity					0.64	
5	I took an	8.00	9.38	9.61	9.15	9.61	9.84
	active part in						
	this group						
	coaching						
	activity						

might benefit from obtaining data from numerous respondents to overcome these possible biases (e.g., teachers, orphanage staff). Third, the focus of this study was primarily on the effect of SSU group psychological therapy intervention on SSU and PSG. More research is needed to investigate other parameters that influence the SSU and PSG of Chinese OVC.

# Conclusion

In this study, the SSGPC was adopted to improve the level of SSU and PSG of OVC. For OVC, increased levels of SSU are necessary to improve their mental health. The results showed that this group counseling intervention effectively improved the level of SSU for OVC. In addition, this study further explored the potential positive effects of the effect of SSGPC on stress after growth. It was found that the intervention improved the PSG level by improving the level of SSU. The results of this study provided some insight into the prevention and intervention of OVC's mental health. Specifically, the content of the intervention and the form of intervention can be designed to prevent OVC from the negative effects of low SSU. It can also be that OVC are more likely to grow up after experiencing stressful events. Therefore, this intervention provides a certain direction for improving the SSU and PSG of OVC.

## Data availability statement

The original contributions presented in the study are included in the article/supplementary material, further inquiries can be directed to the corresponding author.

## Author contributions

LZ and SR: conceptualization and writing—original draft preparation. LZ and YJ: methodology. LZ and YC: software. SR: validation and supervision. LZ: formal analysis and visualization. YJ: investigation. SW and SR: resources. LZ and ZZ: data curation. ZZ: writing—review and editing. All authors contributed to the article and approved the submitted version.

## References

Bronfenbrenner, U. (1979). Contexts of child rearing: problems and prospects. *Am. Psychol.* 34, 844–850. doi: 10.1037/0003-066X.34.10.844

Caspe, M., and Lopez, E. M. (2006). Lessons from Family-Strengthening Interventions: Learning from Evidence-based Practice. Cambridge, MA: Harvard.

Cheney, K. (2010). Expanding vulnerability, dwindling resources: implications for orphaned futures in Uganda. *Child. Africa* 2, 8–15.

Chi, P., Li, X., Barnett, D., Zhao, J., and Zhao, G. (2014). Do children orphaned by AIDS experience distress over time? A latent growth curve analysis of depressive symptoms. *Psychol. Health Med.* 19, 420–432. doi: 10.1080/13548506.2013.841965

Cohen, J. (1988). Statistical Power Analysis for the Behavioral Sciences. 2nd Edn. Hillsdale, NJ: Erlbaum.

Deci, E. L., and Ryan, R. M. (2000). The "what" and "why" of goal pursuits: human needs and the self-determination of behavior. *Psychol. Inq.* 11, 227–268. doi: 10.1207/S15327965PLI1104\_01

Doku, P. N., Akohene, K. M., Ananga, M. K., and Debrah, T. P. (2019). A systematic review of the mental health of orphans and vulnerable children within the context of HIV/AIDS in Africa. *Int. J. Psychiatry* 4, 1–20.

Doku, P. N., Dotse, J. E., and Mensah, K. A. (2015). Perceived social support disparities among children affected by HIV/AIDS in Ghana: a cross-sectional survey. *BMC Public Health* 15, 1–10. doi: 10.1186/s12889-015-1856-5

Fan, F. M., and He, J. (2016). *Group Psychology Counseling*. Shanghai: East China Normal University Press.

Fawzi, M. C. S., Eustache, E., Oswald, C., Louis, E., Surkan, P. J., Scanlan, F., et al. (2012). Psychosocial support intervention for HIV-affected families in Haiti: implications for programs and policies for orphans and vulnerable children. *Soc. Sci. Med.* 74, 1494–1503. doi: 10.1016/j.socscimed.2012.01.022

Gidron, Y. (2020). "Group Therapy/Intervention." In *Encyclopedia of Behavioral Medicine*. (Cham: Springer), 971–971.

Hong, Y., Li, X., Fang, X., Zhao, G., Lin, X., Zhang, J., et al. (2010). Perceived social support and psychosocial distress among children affected by AIDS in China. *Community Ment. Health J.* 46, 33–43. doi: 10.1007/s10597-009-9201-z

Hu, Y., Ye, B., and Im, H. (2021). Hope and post-stress growth during COVID-19 pandemic: The mediating role of perceived stress and the moderating role of empathy. *Personal. Individ. Differ.* 178:110831. doi: 10.1016/j.paid.2021.110831

Kumakech, E., Cantor-Graae, E., Maling, S., and Bajunirwe, F. (2009). Peergroup support intervention improves the psychosocial well-being of AIDS orphans: cluster randomized trial. *Soc. Sci. Med.* 68, 1038–1043. doi: 10.1016/j. socscimed.2008.10.033

Lavin, B. C., Kali, M. B., and Haas, L. (2010). Evaluation of Community Support and Mentoring for Orphans and Vulnerable children (COSMO) program in Rwanda. Canberra: CARE Australia.

Li, C., Jiang, S., and Zhang, X. (2019). Intergenerational relationship, family social support, and depression among Chinese elderly: A structural equation modeling analysis. *J. Affect. Disord.* 248, 73–80. doi: 10.1016/j.jad.2019.01.032

Little, S. G., Akin-Little, A., and Somerville, M. P. (2011). Response to trauma in children: An examination of effective intervention and post-traumatic growth. *Sch. Psychol. Int.* 32, 448–463. doi: 10.1177/0143034311402916

## Conflict of interest

The authors declare that the research was conducted in the absence of any commercial or financial relationships that could be construed as a potential conflict of interest.

## Publisher's note

All claims expressed in this article are solely those of the authors and do not necessarily represent those of their affiliated organizations, or those of the publisher, the editors and the reviewers. Any product that may be evaluated in this article, or claim that may be made by its manufacturer, is not guaranteed or endorsed by the publisher.

Liu, H., Feng, T., Ha, T., Liu, H., Cai, Y., Liu, X., et al. (2011). Chinese culture, homosexuality stigma, social support and condom use: A path analytic model. *Stigma Res. Act.* 1, 27–35. doi: 10.5463/sra.v1i1.16

Liu, M., Feng, X., Wang, S., and Qiu, H. (2020). China's poverty alleviation over the last 40 years: successes and challenges. *Aust. J. Agric. Resour. Econ.* 64, 209–228. doi: 10.1111/1467-8489.12353

Loney, B. R., Lima, E. N., and Butler, M. A. (2006). Trait affectivity and nonreferred adolescent conduct problems. *J. Clin. Child Adolesc. Psychol.* 35, 329–336. doi: 10.1207/s15374424jccp3502\_17

Luyckx, K., Vansteenkiste, M., Goossens, L., and Duriez, B. (2009). Basic need satisfaction and identity formation: bridging self-determination theory and processoriented identity research. *J. Couns. Psychol.* 56, 276–288. doi: 10.1037/a0015349

Marais, L., Sharp, C., Pappin, M., Rani, K., Skinner, D., Lenka, M., et al. (2014). Community-based mental health support for orphans and vulnerable children in South Africa: A triangulation study. *Vulnerable Child. Youth Stud.* 9, 151–158. doi: 10.1080/17450128.2013.855345

Masten, A. S. (2001). Ordinary magic: resilience processes in development. Am. Psychol. 56, 227–238. doi: 10.1037/0003-066X.56.3.227

Mc Guckin, C., and Minton, S. J. (2014). From theory to practice: two ecosystemic approaches and their applications to understanding school bullying. J. Psychol. Couns. Sch. 24, 36–48. doi: 10.1017/jgc.2013.10

Mellins, C. A., and Malee, K. M. (2013). Understanding the mental health of youth living with perinatal HIV infection: lessons learned and current challenges. *J. Int. AIDS Soc.* 16, 1–19. doi: 10.7448/IAS.16.1.18593

Morantz, G., Cole, D., Vreeman, R., Ayaya, S., Ayuku, D., and Braitstein, P. (2013). Child abuse and neglect among orphaned children and youth living in extended families in sub-Saharan Africa: what have we learned from qualitative inquiry? *Vulnerable Child. Youth Stud.* 8, 338–352. doi: 10.1080/17450128.2013.764476

National Bureau of Statistics of China (2020). 2018 statistical monitoring report on the implementation of China National Program for child development (2011–2020). NBSC Available at: http://www.stats.gov.cn/english/PressRelease/ 202001/t20200103\_1721247.html (Accessed April 25, 2022).

Nyathi, V. S. (2022). "Equipping orphans and vulnerable children (OVC) With life skills education," in *Provision of Psychosocial Support and Education of Vulnerable Children*. eds. S. G. Taukeni, J. Mathwasa and Z. Ntshuntshe (Hershey, PA: IGI Global), 47–71.

Onuoha, F. N., and Munakata, T. (2010). Inverse association of natural mentoring relationship with distress mental health in children orphaned by AIDS. *BMC Psych.* 10, 1–8. doi: 10.1186/1471-244X-10-6

Paddock, S. M., Hunter, S. B., Watkins, K. E., and McCaffrey, D. F. (2011). Analysis of rolling group therapy data using conditionally autoregressive priors. *Ann. Appl. Stat.* 5, 605–627. doi: 10.1214/10-AOAS434

Penner, F., Sharp, C., Marais, L., Shohet, C., Givon, D., and Boivin, M. (2020). Community-based caregiver and family interventions to support the mental health of orphans and vulnerable children: review and future directions. *New Dir. Child Adolesc. Dev.* 2020, 77–105. doi: 10.1002/cad.20352

Qin, C., and Wu, S. (2016). Children's post-stress growth scale: development, reliability, and validity. *Chinese J. Child Health Care* 24, 900–902. doi: 10.11852/zgetbjzz2016-24-09-02

Scott, J. G., Mihalopoulos, C., Erskine, H. E., Roberts, J., and Rahman, A. (2016). *Childhood mental and Developmental Disorders*. Washington, DC: The International Bank for Reconstruction and Development/The World Bank.

Senefeld, S., and Perrin, P. C. (2014). Applying an ecological model to orphans and vulnerable children programming. *Dev. Pract.* 24, 129–139. doi: 10.1080/09614524.2014.866215

Shang, X., and Cheng, J. (2006). Zhongguo gu'er zhuangkuang fenxi [analysis on the status of orphans in China]. *Youth Stud.* 10, 8–12.

Sitienei, E. C., and Pillay, J. (2019). Psycho-educational and social interventions provided for orphans and vulnerable children at a community-based organisation in Soweto, South Africa. *Afr. J. AIDS Res.* 18, 1–8. doi: 10.2989/16085906.2018.1548359

Skeen, S. A., Sherr, L., Croome, N., Gandhi, N., Roberts, K. J., Macedo, A., et al. (2017). Interventions to improve psychosocial well-being for children affected by HIV and AIDS: a systematic review. *Vulnerable Child. Youth Stud.* 12, 91–116. doi: 10.1080/17450128.2016.1276656

Wood, L., and Goba, L. (2011). Care and support of orphaned and vulnerable children at school: helping teachers to respond. *S. Afr. J. Educ.* 31, 275–290. doi: 10.15700/saje.v31n2a484

Ye, Y., and Dai, X. (2006). Development of social support scale for university students. *Chin. J. Clin. Psych.* 16, 456–458.

Yendork, J. S. (2020). Vulnerabilities in Ghanaian orphans: using the ecological systems theory as a lens. *New Ideas Psychol.* 59:100811. doi: 10.1016/j. newideapsych.2020.100811

Zhang, L., Roslan, S., Zaremohzzabieh, Z., Jiang, Y., Wu, S., and Chen, Y. (2022). Perceived stress, social support, emotional intelligence, and post-stress growth among Chinese left-Behind children: A moderated mediation model. *Int. J. Environ. Res. Public Health* 19, 1–13. doi: 10.3390/ijerph19031851

Zhou, G. (2012). Understanding the psychosocial well-being of orphans and vulnerable children (OVC): the intersection of research and policy. PhD Thesis, Durham, NC: Duke University.