



## OPEN ACCESS

EDITED AND REVIEWED BY  
Cristiano Capurso,  
University of Foggia, Italy

\*CORRESPONDENCE  
Xiulian Xu  
✉ xuxiulian@qiluhospital.com

RECEIVED 29 June 2025  
ACCEPTED 21 July 2025  
PUBLISHED 05 August 2025

## CITATION

Xu J, Han G and Xu X (2025) Correction:  
Adverse childhood experiences and 10-year  
depressive-symptoms trajectories among  
middle-aged and older adults in China: a  
population-based cohort study.  
*Front. Public Health* 13:1656002.  
doi: 10.3389/fpubh.2025.1656002

## COPYRIGHT

© 2025 Xu, Han and Xu. This is an  
open-access article distributed under the  
terms of the [Creative Commons Attribution  
License \(CC BY\)](#). The use, distribution or  
reproduction in other forums is permitted,  
provided the original author(s) and the  
copyright owner(s) are credited and that the  
original publication in this journal is cited, in  
accordance with accepted academic practice.  
No use, distribution or reproduction is  
permitted which does not comply with these  
terms.

# Correction: Adverse childhood experiences and 10-year depressive-symptoms trajectories among middle-aged and older adults in China: a population-based cohort study

Jin Xu<sup>1</sup>, Guangxue Han<sup>2</sup> and Xiulian Xu<sup>3,4\*</sup>

<sup>1</sup>School of Nursing and Rehabilitation, Shandong University, Jinan, Shandong, China, <sup>2</sup>School of Nursing, Shandong University of Traditional Chinese Medicine, Jinan, Shandong, China, <sup>3</sup>Department of Surgical Clinic, Qilu Hospital of Shandong University, Jinan, Shandong, China, <sup>4</sup>Nursing Theory and Practice Innovation Research Center, Shandong University, Jinan, Shandong, China

## KEYWORDS

ACEs, CHARLS, life course epidemiology, depressive symptoms, trajectory

## A Correction on

Adverse childhood experiences and 10-year depressive-symptoms trajectories among middle-aged and older adults in China: a population-based cohort study

by Xu, J., Han, G., and Xu, X. (2024). *Front. Public Health* 12:1455750.  
doi: 10.3389/fpubh.2024.1455750

In the published article, there was an error in [Table 3](#) as published. The label b of “(95% CI)” was omitted. The corrected [Table 3](#) and its caption appear below.

In the published article, there was an error in [Table 4](#) as published. The label b of “(95% CI)” was omitted. The corrected [Table 4](#) and its caption appear below.

In the published article, there was an error in [Supplementary Table S2](#). The label of “(95% CI)” was omitted. The corrected [Supplementary Table S2](#) and its caption appear below.

In the published article, there was an error in [Supplementary Table S3](#). The label of “(95% CI)” was omitted. The corrected [Supplementary Table S3](#) and its caption appear below.

The original version of this article has been updated.

TABLE 3 Association between ACEs and depressive-symptoms trajectory.

ACEs	OR <sup>a</sup> = e <sup>β</sup> (95% CI) <sup>b</sup>			
	Decreasing symptoms	High symptoms	Remitting symptoms	Increasing symptoms
0	1.00	1.00	1.00	1.00
1	1.21 (0.06, 0.33)	1.39 (0.12, 0.54)	0.99 (−0.15, 0.10)	1.09 (−0.06, 0.23)
2	1.45 (0.22, 0.51)	1.96 (0.46, 0.89)	1.16 (0.01, 0.28)	1.37 (0.16, 0.47)
3	1.75 (0.39, 0.73)	2.91 (0.84, 1.30)	1.38 (0.16, 0.48)	1.44 (0.18, 0.55)
≥4	2.46 (0.71, 1.09)	4.94 (1.36, 1.84)	1.87 (0.44, 0.81)	1.90 (0.43, 0.85)

<sup>a</sup> Adjusted for age, sex, marital status, residence, education, the self-reported health, multiple diseases coexist, smoking status and alcohol drinking status.  
<sup>b</sup> Reported 95% CI correspond to β; significance threshold = 0.

TABLE 4 Association between 12 domains of ACEs and depressive-symptoms trajectory.

Domains		OR <sup>a</sup> = e <sup>β</sup> (95% CI) <sup>b</sup>			
		Decreasing symptoms	High symptoms	Remitting symptoms	Increasing symptoms
Physical abuse	No	1.00	1.00	1.00	1.00
	Yes	1.30 (0.15, 0.37)	1.59 (0.32, 0.61)	1.10 (−0.02, 0.20)	1.18 (0.04, 0.29)
Emotional neglect	No	1.00	1.00	1.00	1.00
	Yes	1.08 (−0.03, 0.18)	1.23 (0.07, 0.35)	1.08 (−0.03, 0.17)	1.07 (−0.05, 0.18)
Household substance abuse	No	1.00	1.00	1.00	1.00
	Yes	1.05 (−0.15, 0.24)	1.27 (−0.01, 0.48)	0.86 (−0.35, 0.05)	0.97 (−0.25, 0.19)
Household mental illness	No	1.00	1.00	1.00	1.00
	Yes	1.83 (0.46, 0.74)	3.40 (1.06, 1.38)	1.69 (0.39, 0.67)	1.55 (0.28, 0.60)
Domestic violence	No	1.00	1.00	1.00	1.00
	Yes	1.44 (0.19, 0.54)	1.85 (0.39, 0.83)	1.05 (−0.14, 0.24)	1.37 (0.12, 0.52)
Incarcerated household member	No	1.00	1.00	1.00	1.00
	Yes	1.07 (−1.04, 1.16)	0.60 (−2.56, 1.55)	3.00 (0.38, 1.81)	2.46 (0.03, 1.77)
Parental separation divorce	No	1.00	1.00	1.00	1.00
	Yes	1.70 (0.07, 0.99)	1.19 (−0.50, 0.85)	0.97 (−0.59, 0.54)	1.62 (−0.03, 1.00)
Unsafe neighborhood	No	1.00	1.00	1.00	1.00
	Yes	1.31 (0.10, 0.44)	2.01 (−0.50, 0.90)	1.17 (−0.01, 0.33)	1.50 (0.22, 0.58)
Bullying	No	1.00	1.00	1.00	1.00
	Yes	1.50 (0.27, 0.54)	2.18 (0.61, 0.95)	1.31 (0.14, 0.41)	1.34 (0.12, 0.44)
Parental death	No	1.00	1.00	1.00	1.00
	Yes	1.44 (0.25, 0.48)	1.97 (0.53, 0.82)	1.24 (0.10, 0.34)	1.43 (0.15, 0.41)
Sibling death	No	1.00	1.00	1.00	1.00
	Yes	0.98 (−0.14, 0.11)	1.15 (−0.03, 0.31)	0.95 (−0.18, 0.07)	0.92 (−0.23, 0.06)
Parental disability	No	1.00	1.00	1.00	1.00
	Yes	1.07 (−0.15, 0.28)	1.08 (−0.21, 0.37)	0.95 (−0.27, 0.16)	0.91 (−0.35, 0.15)

<sup>a</sup> Adjusted for age, sex, marital status, residence, education, the self-reported health, multiple diseases coexist, smoking status and alcohol drinking status.  
<sup>b</sup> Reported 95% CI correspond to β; significance threshold = 0.

TABLE S2 Association between ACEs and depressive-symptoms trajectory.

ACEs	OR = e <sup>β</sup> (95% CI) <sup>a</sup>			
	Decreasing symptoms	High symptoms	Remitting symptoms	Increasing symptoms
0	1.00	1.00	1.00	1.00
1	1.18 (0.03,0.30)	1.35 (0.10,0.50)	0.98 (−0.15,0.10)	1.08 (−0.07,0.22)
2	1.45 (0.23,0.51)	2.03 (0.50,0.91)	1.16 (0.01,0.28)	1.38 (0.17,0.48)
3	1.82 (0.43,0.76)	3.12 (0.92,1.36)	1.40 (0.17,0.49)	1.50 (0.22,0.59)
≥4	2.52 (0.75,1.10)	5.20 (1.42,1.88)	1.87 (0.45,0.80)	1.95 (0.46,0.87)

<sup>a</sup>Reported 95% CI correspond to β; significance threshold = 0.

TABLE S3 Association between 12 domains of ACEs and depressive-symptoms trajectory.

Domains		OR = e <sup>β</sup> (95% CI) <sup>a</sup>			
		Decreasing symptoms	High symptoms	Remitting symptoms	Increasing symptoms
Physical abuse	No	1.00	1.00	1.00	1.00
	Yes	1.01 (−0.10,0.13)	0.98 (−0.17,0.14)	0.93 (−0.18,0.05)	0.97 (−0.16,0.10)
Emotional neglect	No	1.00	1.00	1.00	1.00
	Yes	0.96 (−0.15,0.07)	1.00 (−0.15,0.14)	1.04 (−0.07,0.14)	0.99 (−0.135,0.11)
Household substance abuse	No	1.00	1.00	1.00	1.00
	Yes	0.80 (−0.42,-0.02)	0.75 (−0.55,-0.02)	0.75 (−0.50,-0.08)	0.79 (−0.46,-0.01)
Household mental illness	No	1.00	1.00	1.00	1.00
	Yes	1.86 (0.47,0.77)	3.42 (1.06,1.40)	1.81 (0.45,0.75)	1.56 (0.27,0.62)
Domestic violence	No	1.00	1.00	1.00	1.00
	Yes	1.18 (−0.02,0.36)	1.27 (0.00,0.47)	0.94 (−0.27,0.14)	1.21 (−0.02,0.41)
Incarcerated household member	No	1.00	1.00	1.00	1.00
	Yes	0.65 (−1.51,0.65)	0.27 (−3.33,0.72)	2.39 (0.16,1.58)	1.63 (0.38,1.35)
Parental separation divorce	No	1.00	1.00	1.00	1.00
	Yes	1.68 (0.07,0.97)	1.08 (−0.58,0.74)	0.91 (−0.66,0.47)	1.52 (−0.10,0.94)
Unsafe neighborhood	No	1.00	1.00	1.00	1.00
	Yes	1.15 (−0.04,0.32)	1.46 (0.17,0.59)	1.09 (−0.09,0.27)	1.41 (0.15,0.53)
Bullying	No	1.00	1.00	1.00	1.00
	Yes	1.12 (−0.03,0.26)	1.31 (0.09,0.45)	1.13 (0.02,0.27)	1.08 (−0.09,0.24)
Parental death	No	1.00	1.00	1.00	1.00
	Yes	1.38 (0.20,0.44)	1.67 (0.36,0.67)	1.19 (0.05,0.30)	1.31 (0.13,0.41)
Sibling death	No	1.00	1.00	1.00	1.00
	Yes	0.90 (−0.24,0.02)	0.80 (−0.40,0.05)	0.88 (−0.26,0.01)	0.85 (−0.31,-0.01)
Parental disability	No	1.00	1.00	1.00	1.00
	Yes	0.90 (−0.32,0.11)	0.63 (−0.77,-0.15)	0.89 (−0.34,0.10)	0.77 (−0.52,0.01)

<sup>a</sup>Reported 95% CI correspond to β; significance threshold = 0.