



Corrigendum: Comparison of Ceramic-on-Ceramic vs. Ceramic-on-Polyethylene for Primary Total Hip Arthroplasty: A Meta-Analysis of 15 Randomized Trials

Yan Fang¹ and Xiaobin Shang^{2*}

¹ Department of Anesthesiology, Tongji Hospital, Tongji Medical College, Huazhong University of Science and Technology, Wuhan, China, ² Department of Orthopaedics, Tongji Hospital, Tongji Medical College, Huazhong University of Science and Technology, Wuhan, China

OPEN ACCESS

Approved by:
Frontiers Editorial Office,
Frontiers Media SA, Switzerland

***Correspondence:**
Xiaobin Shang
xiaobinshang0929@gmail.com

Specialty section:
This article was submitted to
Orthopedic Surgery,
a section of the journal
Frontiers in Surgery

Received: 15 February 2022
Accepted: 17 February 2022
Published: 14 March 2022

Citation:
Fang Y and Shang X (2022)
Corrigendum: Comparison of
Ceramic-on-Ceramic vs.
Ceramic-on-Polyethylene for Primary
Total Hip Arthroplasty: A
Meta-Analysis of 15 Randomized
Trials. *Front. Surg.* 9:876080.
doi: 10.3389/fsurg.2022.876080

Keywords: ceramic on ceramic, ceramic on polyethylene, meta-analysis, total hip, review-systematic

A Corrigendum on

Comparison of Ceramic-on-Ceramic vs. Ceramic-on-Polyethylene for Primary Total Hip Arthroplasty: A Meta-Analysis of 15 Randomized Trials
by Fang, Y., and Shang, X. (2021). *Front. Surg.* 8:751121. doi: 10.3389/fsurg.2021.751121

For personal reasons, we have decided to change the corresponding author. The updated corresponding author would be ****Xiaobin Shang, xiaobinshang0929@gmail.com****.

The authors apologize for this thing and state that Xiaobin Shang did a great contribution to the article and is qualified to be the corresponding author. The original article has been updated.

Publisher's Note: All claims expressed in this article are solely those of the authors and do not necessarily represent those of their affiliated organizations, or those of the publisher, the editors and the reviewers. Any product that may be evaluated in this article, or claim that may be made by its manufacturer, is not guaranteed or endorsed by the publisher.

Copyright © 2022 Fang and Shang. This is an open-access article distributed under the terms of the Creative Commons Attribution License (CC BY). The use, distribution or reproduction in other forums is permitted, provided the original author(s) and the copyright owner(s) are credited and that the original publication in this journal is cited, in accordance with accepted academic practice. No use, distribution or reproduction is permitted which does not comply with these terms.