

Erratum: Velopharyngeal Inadequacy-Related Quality of Life Assessment: The Instrument Development and Application Review

Frontiers Production Office*

OPEN ACCESS

Frontiers Media SA, Lausanne, Switzerland

Approved by:

Frontiers Editorial Office, Frontiers Media SA, Switzerland

*Correspondence:

Frontiers Production Office production.office@frontiersin.org

Specialty section:

This article was submitted to Pediatric Surgery, a section of the journal Frontiers in Surgery

Received: 24 March 2022 Accepted: 24 March 2022 Published: 12 April 2022

Citation

Frontiers Production Office (2022)
Erratum: Velopharyngeal
Inadequacy-Related Quality of Life
Assessment: The Instrument
Development and Application Review.
Front. Surg. 9:903725.
doi: 10.3389/fsurg.2022.903725

Keywords: velopharyngeal inadequacy, quality of life, instruments, patient-report outcomes, patient-report outcome questionnaire

An Erratum on

Velopharyngeal Inadequacy-Related Quality of Life Assessment: The Instrument Development and Application Review

by Chen, N., Shi, B., and Huang, H. (2022). Front. Surg. 9:796941. doi: 10.3389/fsurg.2022.796941

Due to a production error, the article was mistakenly published as the article type "Original Research" instead of "Systematic Review".

The publisher apologizes for this mistake. The original article has been updated.

1

Publisher's Note: All claims expressed in this article are solely those of the authors and do not necessarily represent those of their affiliated organizations, or those of the publisher, the editors and the reviewers. Any product that may be evaluated in this article, or claim that may be made by its manufacturer, is not guaranteed or endorsed by the publisher.

Copyright © 2022 Frontiers Production Office. This is an open-access article distributed under the terms of the Creative Commons Attribution License (CC BY). The use, distribution or reproduction in other forums is permitted, provided the original author(s) and the copyright owner(s) are credited and that the original publication in this journal is cited, in accordance with accepted academic practice. No use, distribution or reproduction is permitted which does not comply with these terms.