Check for updates

OPEN ACCESS

EDITED AND REVIEWED BY Yukifumi Nawa, Khon Kaen University, Thailand

*CORRESPONDENCE Lavinia Ciuca ⊠ lavinia.ciuca@unina.it

RECEIVED 06 September 2023 ACCEPTED 18 September 2023 PUBLISHED 27 September 2023

CITATION

Ciuca L, Caruso V, Illiano S, Bosco A, Maurelli MP and Rinaldi L (2023) Corrigendum: Emerging risk of *Dirofilaria* spp. infection in shelter dogs in southern Italy. *Front. Vet. Sci.* 10:1290005. doi: 10.3389/fvets.2023.1290005

COPYRIGHT

© 2023 Ciuca, Caruso, Illiano, Bosco, Maurelli and Rinaldi. This is an open-access article distributed under the terms of the Creative Commons Attribution License (CC BY). The use, distribution or reproduction in other forums is permitted, provided the original author(s) and the copyright owner(s) are credited and that the original publication in this journal is cited, in accordance with accepted academic practice. No use, distribution or reproduction is permitted which does not comply with these terms.

Corrigendum: Emerging risk of *Dirofilaria* spp. infection in shelter dogs in southern Italy

Lavinia Ciuca*, Valeria Caruso, Sergio Illiano, Antonio Bosco, Maria Paola Maurelli and Laura Rinaldi

Department of Veterinary Medicine and Animal Production, Unit of Parasitology, University of Federico II, Naples, Italy

KEYWORDS

Dirofilaria immitis, Dirofilaria repens, southern Italy, shelter dogs, zoonotic risk

A corrigendum on

Emerging risk of Dirofilaria spp. infection in shelter dogs in southern Italy

by Ciuca, L., Caruso, V., Illiano, S., Bosco, A., Maurelli, M. P., and Rinaldi, L. (2023). *Front. Vet. Sci.* 10:1112036. doi: 10.3389/fvets.2023.1112036

In the published article, there was an error in the legend for Figure 2 as published: *Dirofilaria immitis* mff, modified Knott test

The corrected legend appears below.

Figure 2. Dirofilaria repens mff, modified Knott test.

In the published article, there was an error in the legend for Figure 3 as published: *Dirofilaria repens* mff, modified Knott test.

The corrected legend appears below.

Figure 3. Dirofilaria immitis mff, modified Knott test.

The authors apologize for this error and state that this does not change the scientific conclusions of the article in any way. The original article has been updated.

Publisher's note

All claims expressed in this article are solely those of the authors and do not necessarily represent those of their affiliated organizations, or those of the publisher, the editors and the reviewers. Any product that may be evaluated in this article, or claim that may be made by its manufacturer, is not guaranteed or endorsed by the publisher.