



OPEN ACCESS

APPROVED BY
Frontiers Editorial Office,
Frontiers Media SA, Switzerland

*CORRESPONDENCE
Frontiers Production Office
✉ production.office@frontiersin.org

RECEIVED 28 March 2024
ACCEPTED 28 March 2024
PUBLISHED 11 April 2024

CITATION
Frontiers Production Office (2024) Erratum:
The Rat Thoracic Ultrasound protocol:
scanning technique and normal findings.
Front. Vet. Sci. 11:1408432.
doi: 10.3389/fvets.2024.1408432

COPYRIGHT
© 2024 Frontiers Production Office. This is an
open-access article distributed under the
terms of the [Creative Commons Attribution
License \(CC BY\)](#). The use, distribution or
reproduction in other forums is permitted,
provided the original author(s) and the
copyright owner(s) are credited and that the
original publication in this journal is cited, in
accordance with accepted academic practice.
No use, distribution or reproduction is
permitted which does not comply with these
terms.

Erratum: The Rat Thoracic Ultrasound protocol: scanning technique and normal findings

Frontiers Production Office*

Frontiers Media SA, Lausanne, Switzerland

KEYWORDS

pleura, ultrasonography, rat, RATTUS, lung, respiratory disease, thorax

An Erratum on

The Rat Thoracic Ultrasound protocol: scanning technique and normal findings

by Piskovská, A., Kraszewska, K., Hauptman, K., and Jekl, V. (2024). *Front. Vet. Sci.* 11:1286614.
doi: 10.3389/fvets.2024.1286614

Due to a production error, the link for Supplementary Video 1 was incorrectly formatted in the article. It has been updated to “<https://1drv.ms/v/s!AglSmr1cGU9agRcvHFeUBQ7BLkVW>.”

The publisher apologizes for this mistake. The original article has been updated.